OFFICE OF THE DEPUTY COMMISSIONER AND DISTRICT MAGISTRATE, MANDYA DISTRICT, MANDYA.

Notification No. H. 84—39-40, *dated 15th March* 1940.

1. Two petrol bunks will be permitted to be installed in a prominent place in Mandya Town, one on each side of the bus stand entrances and opposite the travellers' bungalow and by the side of the Bannur Road. The site plan can be seen in the office of the Deputy Commissioner and District Magistrate, Mandya District.

2. Applications will be received in the office of the Deputy Commissioner, Mandya District, Mandya, up to 2 P.M. on the 30th March 1940, for the construction and taking on lease of these petrol bunks. Applications may be for each bunk individually.

3. The structure for the bunk should be as per approved plan available for inspection in the Deputy Commissioner's Office and similar to the one at the Mysore Railway Station and constructed by the applicant at his own cost.

4. As the land on which the pumps are to be built belongs to the Muzrai Department, the lease will, in the first instance, be for a period of fifteen years.

5. The storage tank, etc., has, as usual, to be approved by the Inspector of Explosives.

6. Persons who wish to obtain the right of selling petrol at Mandya at these places will apply to the undersigned specifying the ground rent per month they are prepared to pay.

7. The work should be completed within two months from the date of issue of the order, failing which the Deputy Commissioner may, at his discretion, levy a penalty which will be recoverable from the lessee as arrears of land revenue.

8. In all matters of dispute of any kind not specially provided for, the decision of the Deputy Commissioner, Mandya District, shall be final and legally binding.

10. The lease should not be sublet.

B. S. RAGHAVENDRA RAO,
Deputy Commissioner and District Magistrate.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER IN MYSORE, BANGALORE.

Abstract Notification dated 2nd March 1940.

Subject:—GAZETTE NOTIFICATION—G. N. 25.

Attention is drawn to this office Notification dated 2nd March 1940, inviting tenders for the purchase of Flat Iron, M. S. (brand NEW Section) $3'' \times \frac{1}{2}''$, published in Part VI, page 500 of the *Mysore Gazette*, dated 7th March 1940. The last date of receiving tenders is 21st March 1940, 12 NOON.

M. HAYATH,
For *Chief Electrical Engineer.*

OFFICE OF THE SUPERINTENDENT, POWER AND LIGHTING, MYSORE.

Notification dated 10th March 1940.

1. Sealed tenders in triplicate will be received at the office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 35 (Rupees Thirty-five) only is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore, or order, being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set, if required.

4. The tenders should be drawn up strictly in conformity to the specification furnished, writing out the rate at which each item of work will be executed in figures as well as in words, failing which no cognizance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department, including painting and colour-washing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the specifications of this Department and B.S. or A.I.E.E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 12" in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of heating outlets, control points, etc., that might be desired by the undersigned during the progress of the work without any obligation if the tender is not materially affected thereby. The wiring adopted being in lead covered cable sharp corners should invariable be avoided.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specification or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficient earthing to the installation as the system of wiring adopted is in lead covered cable.

10. *Name of work :*—Installing Electric Lights to the proposed *Kitchen* at P. K. Sanatorium, Mysore.

11. *Last date and time of receiving the tender :*—At 3 P.M. on the 2nd April 1940.

12. *Last date and time for opening the tenders in public :*—At 4 P.M. on the 2nd April 1940.

13. A period of six weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with service on the due date, the Department will arrange to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency at the risk of the tenderer.

14. The Firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the Firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work :*—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

N.B.—(1) The distribution of outlets should be on two circuits.

(2) Large square metal junction boxes should be employed for wiring outlets.

Installing Electric lights to the proposed kitchen at P. K. Sanatorium, Mysore.

No.	Names of materials, etc.	Unit	Quantity
	Part I—Mains.		
1	Supplying and laying No. 7–.029 SWG. twin conductor, V. C. insulated, lead covered, double steel armoured, jute served, underground cable suitable for 1,000 V pressure in a trench 3′ deep surrounding the same with 3″ fine sand, enclosing the ends in pole and indoor type, junction boxes fitted with insulating compound and the exposed portion of the cable at the pole end in 18 feet of 1½″ galvanized pipe with bends, clamps, etc., using No. 7–.029 SWG. insulated wire and accessories	Ft.	135
2	Running mains in ¾″ welded conduit using No. 7–.029 SWG. insulated wire and accessories	„	6
3	Supplying, fixing and wiring T. W. Board 18″×15″ with battens and rear board equipping the board with 1 of 15 Amps., D. P. S. T. ironclad switch with fuses and 2 of 10 Amps. D. P. Ironclad switches with fuses using No. 7–.029 insulated wire and accessories	..	1
4	Earthing cable armouring, main pipes, etc.	Item	1

No.	Names of materials, etc.	Unit	Quantity
	Part II.		
1	Supplying, fixing and wiring in twin and triple conductor L. C. cable run on T. W. fillets for lighting outlets complete with metal junction boxes, 5 Amps. reinforced bakelite control switches, cream finish, etc., and using No. 7/.029 SWG. and No. 3/.036 SWG. conductors for mains and taps respectively and accessories	..	18
2	Do do for wall plug outlets complete with 2-pin 5 Amps. wall plug with nipple as per specification above ..	..	3
3	Earthing the lead sheathing of the L. C. cables	Item	1
	Part III—Lighting Fixtures.		
1	Supplying, fixing and wiring drop lights complete with 2 plate bakelite ceiling rose, cream finish, flexible cord B.C.C.G. reinforced bakelite lamp holder, etc., using necessary accessories	..	6
2	Do do O. C. brackets 6″×½″ B. C. lamp holder and accessories	..	5
3	Do do ⅝″ braized conduit pendant 3′–4″ long complete with stout ceiling plate, B. C. lamp holder, etc., and necessary accessories	..	7
4	Supplying and fixing shades, white opal 10″×5″	..	12
5	Do do tin enamelled 10″×5″	..	6
6	Supplying and fixing lamps (MYSORE) 230 volts, B. C. 60 watts ..	..	18

Notification dated 10th March 1940.

1. Sealed tenders in triplicate will be received at the office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 45 (Rupees Forty-five) only is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore, or order, being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set, if required.

4. The tenders should be drawn up strictly in conformity with the specification furnished, writing out the rate at which each item of work will be executed in figures as well as in words failing which no cognizance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department, including painting and colour-washing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the specifications of this Department and B.S. or A.I.E.E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 12″ in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of lighting outlets, control points, etc., that might be desired by the undersigned during the progress of the work without any obligation if the tender is not materially affected thereby. The wiring adopted being in lead covered cable, sharp corners should invariably be avoided.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specification or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficient earthing to the installation as the system of wiring adopted is in lead covered cable.

10. *Name of work :*—Installing Electric Lights to the Medical Officers' Quarters, P. K. Sanatorium, Mysore.

11. *Last date and time of receiving the tender :*—At 3 P.M. on the 2nd April 1940.

12. *Last date and time for opening the tenders in public :*—At 4 P.M. on the 2nd April 1940.

13. A period of six weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with service on the due date, the Department will arrange to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency at the risk of the tenderer.

14. The Firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the Firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work :*—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

N.B.—(1) The distribution of outlets should be on 2 circuits.

(2) Large square metal junction boxes should be employed for wiring outlets.

Installing Electric lights to the Medical Officers' Quarters, P. K. Sanatorium, Mysore.

No.	Names of materials, etc.	Unit	Quantity
	Part I—Mains.		
1	Supplying and laying No. 7/.029 SWG. twin conductor, V. C. insulated lead covered, double steel tape armoured, jute served, U. G. cable in a trench of 3′ deep surrounding the same with 3″ fine sand enclosing the ends in pole and indoor type, junction boxes filled with insulating compound and the exposed portion of the cable at the pole end in 18 feet of 1¼″ galvanized pipe with bends, clamps, etc., using No. 7/.029 SWG. insulated wire and accessories	Ft.	140
2	Running mains in ¾″ braized conduit using No. 7/.029 SWG insulated wire and accessories	,,	6
3	Supplying, fixing and wiring T. W. Board 21″×8″×1″ with battens and rear board equipping the board with 1 of 15 Amps., D. P. S. T. iron-clad switch with fuses and 2 of 10 Amps. D. P. S. T. ironclad switches with fuses using No. 7/.029 SWG. insulated wire and accessories		1
4	Earthing		..
	Part II.		
1	Supplying, fixing and wiring in twin and triple conductor, L. C. cable run on T. W. fillets for lighting outlets complete with metal junction boxes, 5 Amps., reinforced bakelite control switches, etc., and using No. 7/.029 SWG. and No. 3/.036 SWG. conductors for mains and taps respectively and accessories		26
2	Do do for wall plug outlets complete with 2-pin 5 Amps. combined wall plug switch with nipple as per specification above		5
3	Earthing		1

No.	Names of materials, etc.	Unit	Quantity
	Part III—Lighting Fixtures.		
1	Supplying, fixing and wiring drop lights complete with 2 plate bakelite ceiling rose, flexible cord B. C. C. G. reinforced bakelite lamp holder etc., using necessary accessories	..	12
2	Do do D. C. brackets 6″×½″ O. C. B. C. lamp holder, and accessories	..	8
3	Do do ⅝″ braized conduit pendant 3—4 feet long complete with stout ceiling plate, B. C. lamp holder, etc., and necessary accessories	..	2
4	Do do B. C. lamp holders with stout brass ceiling plate using necessary accessories	..	4
5	Supplying and fixing shades, white opal 10″×5″	..	12
6	Do do tin enamelled 10″×5″	..	14
7	Supplying, fixing lamps 230 volts, B. C. 20-40 watts	No.	26

Notification dated 10th March 1940.

1. Sealed tenders in triplicate will be received at the office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 35 (Rupees thirty-five) only is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore, or order, being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set, if required.

4. The tenders should be drawn up strictly in conformity to the specification furnished, writing out the rate at which each item of work will be executed in figures as well as in words, failing which no cognizance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department, including painting and colourwashing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the specifications of this Department and B.S. or A.I.E.E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 12″ in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of heating outlets, control points, etc., that might be desired by the undersigned during the progress of the work without any obligation, if the tender is not materially affected thereby. The wiring adopted being in lead covered cable, sharp corners should invariably be avoided.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specification or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficient earthing to the installation as the system of wiring adopted is in lead covered cable.

10. *Name of work :*—Installing Electric Lighting circuits to the New Special Ward (*Kitchen* to be converted into Special Ward) at P. K. Sanatorium, Mysore.

11. *Last date and time of receiving the tender :*—At 3 P.M. on the 2nd April 1940.

12. *Last date and time for opening the tenders in public :*—At 4 P.M. on the 2nd April 1940.

13. A period of six weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with

service on the due date, the Department will arrange to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency at the risk of the tenderer.

14. The Firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the Firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work* :—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

N.B.—(1) The distribution of outlets should be on 2 circuits.

(2) Large square metal junction boxes should be employed for wiring outlets.

Installing electric lighting circuits to the New Special Ward (Kitchen to be converted into Special Ward) at P. K. Sanatorium, Mysore.

No.	Names of materials, etc.	Unit	Quantity
	Part I—Mains.		
1	Supplying, laying No. 7/.036 SWG. twin conductor, V. C. insulated lead covered, double steel armoured jute served, U. G. cable suitable for 1,000 V working pressure in a trench 3' deep surrounding the same with 3" fine sand enclosing the ends in pole and in-door type, junction box filled with insulating compound and the exposed portion of the cable at the pole end across the verandah in 28', of 1½" Galvanized pipe with bends, clamps, etc., using No. 7/.036 SWG. insulated wire and accessories.	Ft.	70
2	Running mains in ¾" W. I. pipe embedded in the wall using No. 7/.036 SWG. insulated wire and accessories.	No.	6
3	Supplying, fixing and wiring T. W. Board 21"×18"×1" with battens and rear board enclosed in a box made of ⅜" thick compressed cement asbestos of an adequate depth mounted in a niche cut open in the wall equipping the board with 1 of 15 Amps. D.P.S.T. iron clad switch with fuses and 2 of 10 Amps. D. P. iron clad switches with fuses using Nos. 7/.036 and 7/.029 SWG. insulated wire and accessories providing suitable T. W. frame work ground glass shutter with 1" brass 6 lever lock and keys	No.	1
4	Earthing cable armouring clamps, etc.	L. S.	
	Part II—Lighting.		
1	Supplying, fixing and wiring in twin and triple conductor in lead covered cable run on suitable T. W. fillets for lighting outlets complete with 5 Amps. bakelite control switch cream finish using No. 7/.029 SWG. and No. 3/.036 SWG. insulated wire for mains and taps respectively and accessories	No.	12
2	Do. do. for wall plug outlets complete with 5 Amps. combined wall plug and switch bakelite cream finish as per above specification	No.	5
3	Earthing the lead sheathing of L. C. cables	Item	1
	Part III—Lighting Fixtures.		
1	Supplying, fixing and wiring ⅜" brass pendants 2 to 3 feet long complete with stout ceiling plate all nickel plated, B. C. lamp holder, all nickle plated brass gallery 8"×4¼", white opal globes, etc. using No. 7/.036 SWG. insulated wires and accessories.	No.	6
2	Supplying and fixing and wiring flange type holder complete with ceiling plate, etc., all nickle plated gallery and 6"×3¼" white opal globes	No.	6
3	Supplying and fixing lamps 40-60 watts, 230 volts, B. C. (Mysore)	No.	12

Notification dated 10th March 1940.

1. Sealed tenders in triplicate will be received at the office of the Superintendent, Power and Lighting, Mysore, superscribed with the name of the work noted below.

2. A sum of Rs. 110 (Rupees one hundred and ten) only is required to be sent along with the tender in cash or currency or cheque drawn in favour of the Superintendent, Power and Lighting, Mysore, or order, being the earnest deposit. Tenders not accompanied with the said deposit will not be accepted.

3. The plans connected with the work may be seen at the office of the undersigned at all working hours. The same will be made available on payment of Rs. 3 per set, if required.

4. The tenders should be drawn up strictly in conformity to the specification furnished, writing out the rate at which, each item of work will be executed in figures as well as in words failing which no cognizance will be taken of the tender. No items other than those noted in the statement should be included, as the items cover provision for all sundries that are necessary for the execution of the work to meet with the requirements of the Department, including painting and colourwashing to suit the finish of the walls, etc.

5. Materials to be used on the work should be of best quality conforming to the specifications of this Department and B.S. or A.I.E.E. specifications. Mention should also be made of the manufacture and the catalogue numbers of the materials offered. Teakwood planks to be used on the work should be free from knots, cracks and should be well seasoned. No planks less than 12" in width will be permitted to be used unless it is to make up the difference in size of the board required. Only lap joints should be adopted in all cases.

6. The undersigned reserves the right to reject the tenders without assigning any reason therefor.

7. The successful tenderer will be required to execute an agreement within two days from the date of communication of acceptance of the tender. He should send samples of all the materials required for the work mounted on a board and start the work after obtaining the approval of the undersigned with regard to the same within a week from the date of communication of acceptance. Failure to adhere to the conditions above will entail forfeiture of the earnest deposit and adoption of such measures as are necessary for expediting the work otherwise entirely at his risk. He should also bind himself to execute the work strictly adhering to the wiring rules of this Department as well as those of I.E.E. He should also be prepared to adopt changes in the location of heating outlets, control points, etc., that might be desired by the undersigned during the progress of the work without any obligation if the tender is not materially affected thereby. The wiring adopted being in lead covered cable sharp corners should invariably be avoided.

8. The undersigned reserves the right to reject the work either in full or in part if the same is not executed according to the above specification or is not satisfactory as regards workmanship.

9. Special care should be taken to afford metallic continuity and to provide efficent earthing to the installation as the system of wiring adopted is in lead covered cables.

10. *Name of work* :—Installing Electric Lights and Heating circuits to the Advanced Case-Ward—P. K. Sanatorium, Mysore.

11. *Last date and time of receiving the tender* :—At 3 P.M. on the 2nd April 1940.

12. *Last date and time for opening the tenders in public* :—At 4 P.M. on the 2nd April 1940.

13. A period of six weeks from the date of acceptance of tender will be allowed for the completion of the work in all respects. If the installation is not handed over to the Department with service on the due date, the Department will arrange to take charge of the installation at whatever stage it might be and arrange for completion of the work through any other agency at the risk of the tenderer.

14. The firm executing the work should arrange while handing over the installation to this Department to pass a certificate of guarantee for the continuance of satisfactory service to the installation for a period of 12 calendar months from the date of handing over charge to this Department while uninterrupted power supply is maintained. Further, it will be obligatory on the part of the firm to attend to any defects in the installation that might crop up during the above period without any return for service rendered.

15. *Details of work* :—The quantities given in the annexed statement are not guaranteed and are subject to variation at the time of executing the work.

N.B.—(1) The distribution of lighting outlets should be on 2 circuits.

(2) Large square metal junction boxes should be employed for wiring outlets.

Installing Electric lights and heating circuit to the Advanced Case ward—P. K. Sanatorium, Mysore.

No.	Names of materials, etc.	Unit	Quantity
	Part I—Mains.		
1	Supplying, and laying No. 7–.036 SWG. twin conductor, V. C. insulated lead covered, double steel tape armoured, jute served, underground cable, suitable for 1,000 V., working pressure in a trench 3 feet deep surrounding the same with 3″ of fine sand enclosing the ends in pole and indoor type junction boxes filled with insulating compound and the exposed portion of the cable at the pole end in 18 feet of 1½″ galvanized pipe with bends, clamps, etc, using No. 7–.036 SWG. insulated wire and accessories ..	Ft.	200
2	Do do No. 7–.064 SWG. as per above specifications using No. 7–.064 SWG. insulated wire and accessories	,,	200
3	Running mains in ¾″ W. I. pipe using No. 7–.036 SWG. insulated wire and accessories	,,	6
4	Do do in ¾″ W. I. pipe as per above specifications using No. 7–.036 SWG. insulated wire and accessories ..	,,	6
5	Supplying, fixing and wiring T. W. Board 24″×21″×1″ with battens and rear board equipping the board with 2 of 30 Amps., D. P. S. T. ironclad switch, with fuses and 2 of 10 Amps. D. P. S. T. ironclad switch with fuses using Nos. 7–.064 and 7–.036 SWG. insulated wire and accessories	..	1
6	Earthing cable armouring clamps, etc.	L. S.	
	Part II—Lighting.		
1	Supplying, fixing and wiring in twin and tripple conductor, lead covered cable run on suitable T. W. fillets for lighting outlets complete with 5 Amps. reinforced bakelite control switch cream finish using No. 7–.029 SWG. and No. 3–.036 SWG. insulated wire for mains and taps respectively and accessories	,,	20
2	Do do for wall plug outlets complete with 5 Amps. combined wall plug and switch cream finish as per above specification	..	6
3	Earthing the lead sheathing of L. C. cable, etc.	Item	1
	Part III—Heating.		
1	Supplying, fixing and wiring in twin and tripple conductor, lead covered cable for heating outlets complete with 15 Amps., 2-pin non-interlocking type wall receptacles and 15 amps. D. P. S. T. ironclad switch with fuses, using No. 7–.044 SWG and No. 7–.036 SWG. insulated wire for mains taps and accessories	..	2
2	Earthing	Item	1
	Part IV—Lighting Fixtures.		
1	Supplying, fixing and wiring ⅝″ brass pendants 2—3 feet long, complete with ceiling plate B. C. lamp holder all nickle plated brass gallery 8″×4¼″ white opal globe etc., using No. 3–.036 SWG. insulated wire and accessories	,,	4
2	Supplying, fixing and wiring ⅝″ braized conduit pendants with stout ceiling plate B. C. lamp holder and 10″×5″ opal shades, etc., as above	,,	5
3	Do do B. C. Lamp holders with stout ceiling plate all nickle plated complete with 6″×3¼″ round opal globe brass nickle plated gallery etc., as above	,,	11
4	Supplying and fixing lamps, 100 watts, 220 volts, B. C. gas filled Mysore	,,	4
5	Do do 60 watts, 220 volts, B. C. gas filled, Mysore	,,	16

No.	Names of materials, etc.	Unit	Quantity
	Part V.		
1	Supplying English Electric non-pressure type water boiler H. W. 20 N. P., 20 gallons capacity with internal container of tinned copper consumption 2000 watts, suitable for operation on 220 volts, A. C. supply	No.	1
2	Erecting water boilers with suitable supporters and wiring the same using No. 7-.036 SWG. twin conductor L. C. bonded cable T. W. fillets and accessories	„	1
3	Earthing	Item	1

M. M. ALI KHAN,
Superintendent.

OFFICE OF THE EXECUTIVE ENGINEER, SHIMSHA NEW PROJECT, SHIMSHAPURA.

Abstract Notification dated 28th February 1940.

The attention of the public is invited to the detailed notification dated 25th February 1940, calling for tenders for the purchase of teak wood centrings released from S. N. P. works, published on the pages 501-502 of Part VI of the *Mysore Gazette*, dated 7th March 1940.

K. V. SUBRAHMANYA SASTRY,
Executive Engineer.

THE MYSORE IRON AND STEEL WORKS, BHADRAVATI.

Applications are invited from Mysoreans by birth or domicile, who are Diploma holders in Electrical Engineering from the School of Engineering, Bangalore, with experience in Radio Operation and repairs, for the post of an Operator in the Mysore Iron and Steel Works, Bhadravati.

Applications should reach the undersigned on or before the 1st April 1940 and should be in the following form :—

1. Name in full and address	
2. Date of birth and age, last birthday	
3. Place of birth (state village or town, taluk and district).	
4. Whether a Mysorean by birth or domicile ..	
5. Caste	
6. Father's name	
7. Occupation of father	